



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

IN CERTAIN STATES AND CITIES.

SMALLPOX.

Maryland—Supplemental Report for February, 1913.

Places.	Number of new cases reported during month.	Deaths.	Vaccination history of cases.		
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.
State of Maryland, exclusive of Baltimore city:					
Allegany County—					
Cumberland.....	2	2
Westernport.....	2	1	1
Lonaconing.....	1	1
Cresaptown.....	1	1
Allegany Mines.....	1	1
Garrett County—					
Gorman.....	3	3
Bloomington.....	9	9
Queen Anne County—					
Love Point.....	1	1
Total.....	20	4	16

Maryland—Montgomery County.

The Maryland State Department of Health reported by telegraph April 1 the occurrence of a new focus of smallpox at Olney, Montgomery County, one case of the disease having been reported.

New York Report for February, 1913.

Places.	Number of new cases reported during month.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
New York:						
Allegany County.....	2	2
Cayuga County—						
Auburn.....	2	2
Chemung County—						
Elmira.....	1	1
Clinton County.....	1	1
Plattsburg.....	2	2
Delaware County.....	12	1	1	10
Herkimer County—						
Little Falls.....	4	4
Montgomery County.....	3	1	2
Niagara County.....	1	1
Niagara Falls.....	18	2	5	11
Oneida County—						
Utica.....	1	1
Onondaga County—						
Syracuse.....	1	1
Orange County.....						
Newburgh.....	2	2
St. Lawrence County.....	1	1
Steuben County—						
Corning.....	1	1
Washington County.....	6	6
Greater New York.....	5	5
Total.....	63	1	6	37	19

Miscellaneous State Reports.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Alabama (Feb. 1-28):			California (Feb. 1-28)—Con.		
Counties—			Counties—Continued.		
Bibb.....	1	Napa.....	2
Chambers.....	1	Nevada.....	1
Chilton.....	4	Orange.....	7
Escambia.....	4	Placer.....	1
Etowah.....	1	Riverside.....	1
Greene.....	2	Sacramento.....	17
Hale.....	17	San Bernardino.....	1
Henry.....	3	San Diego.....	4
Houston.....	16	San Francisco.....	3
Jefferson.....	28	San Joaquin.....	3
Madison.....	3	Shasta.....	9
Mobile.....	3	Solano.....	1
Montgomery.....	8	Tehama.....	3
Morgan.....	1	Tulare.....	2
Shelby.....	7	Yolo.....	2
Tallapoosa.....	5	Total.....	90
Tuscaloosa.....	9			
Walker.....	3	Florida (Mar. 10-16):		
Wilcox.....	4	Counties—		
Total.....	120	Alachua.....	5
California (Feb. 1-28):			Calhoun.....	1
Counties—			Escambia.....	42
Alameda.....	12	Manatee.....	1
Butte.....	4	Osceola.....	1
Colusa.....	1	Pinellas.....	3
Humboldt.....	1	St. Johns.....	3
Imperial.....	4	Total.....	56
Los Angeles.....	10			
Merced.....	1			

City Reports for Week Ended Mar. 15, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Chattanooga, Tenn.....	3	Los Angeles, Cal.....	1
Chicago, Ill.....	2	Milwaukee, Wis.....	8
Cincinnati, Ohio.....	5	Moline, Ill.....	2
Columbus, Ohio.....	4	Muscatine, Iowa.....	1
Danville, Ill.....	2	Niagara Falls, N. Y.....	1
Duluth, Minn.....	1	Oakland, Cal.....	2
Evansville, Ind.....	56	Providence, R. I.....	4
Kalamazoo, Mich.....	2	Roanoke, Va.....	1
Knoxville, Tenn.....	13	St. Joseph, Mo.....	1
Kansas City, Kans.....	1	Spokane, Wash.....	8
La Crosse, Wis.....	1	Springfield, Ohio.....	5
Lexington, Ky.....	4	Toledo, Ohio.....	1
Lynchburg, Va.....	1	Washington, D. C.....	11

TYPHOID FEVER.

State Reports for February, 1913.

Places.	Number of new cases reported during month.	Places.	Number of new cases reported during month.
Alabama:		New York—Continued.	
Baldwin County.....	1	Genesee County.....	2
Bibb County.....	4	Greene County.....	3
Dallas County.....	1	Herkimer County.....	1
Fayette County.....	2	Little Falls.....	1
Hale County.....	1	Jefferson County.....	1
Houston County.....	1	Watertown.....	3
Jefferson County.....	18	Monroe County.....	1
Lauderdale County.....	1	Rochester.....	1
Lee County.....	1	Niagara County.....	1
Limestone County.....	2	Lockport.....	4
Madison County.....	2	Niagara Falls.....	1
Mobile County.....	17	North Tonawanda.....	5
Monroe County.....	3	Oneida County.....	1
Shelby County.....	4	Rome.....	1
Talladega County.....	1	Onondaga County.....	1
Walker County.....	4	Syracuse.....	2
Total.....	63	Ontario County.....	2
New York:		Orange County.....	2
Albany County.....	1	Middletown.....	2
Albany.....	2	Newburgh.....	1
Cohoes.....	2	Orleans County.....	2
Cattaraugus County.....	2	Oswego County.....	2
Broome County.....	2	Oswego.....	1
Binghamton.....	3	Rensselaer County.....	1
Cayuga County.....	2	Troy.....	2
Anburn.....	2	Rockland County.....	1
Chautauqua County.....	5	St. Lawrence County.....	3
Dunkirk.....	7	Saratoga County.....	7
Jamestown.....	1	Seneca County.....	2
Chemung County.....	2	Schenectady County.....	1
Elmira.....	8	Schenectady.....	2
Chenango County.....	3	Steuben County.....	1
Clinton County.....	1	Suffolk County.....	1
Cortland County.....	1	Tompkins County.....	1
Delaware County.....	1	Warren County.....	1
Dutchess County.....	2	Glens Falls.....	1
Poughkeepsie.....	1	Washington County.....	5
Erie County.....	17	Wayne County.....	4
Buffalo.....	1	Westchester County.....	1
Lackawanna.....	1	Yates County.....	3
Tonawanda.....	3	Total.....	139

CEREBROSPINAL MENINGITIS.

State Reports for February, 1913.

Places.	Number of new cases reported during month.	Places.	Number of new cases reported during month.
Alabama:		New York:	
Chilton County.....	2	Chemung County—	
Geneva County.....	1	Elmira.....	1
Jefferson County.....	22	Greene County.....	1
Lawrence County.....	2	Niagara County—	
Limestone County.....	1	Niagara Falls.....	1
Montgomery County.....	1	Saratoga County.....	1
Pickens County.....	1	Ulster County.....	1
Wilcox County.....	1	Westchester County.....	2
Winston County.....	1	Total.....	7
Clarke County.....	8		
Total.....	40		

California—Los Angeles.

Senior Surg. Brooks, of the Public Health Service, reported by telegraph March 29, 1913, that 6 new cases of cerebrospinal meningitis, with 3 deaths, had been notified in Los Angeles during the week ended March 29.

Cases and Deaths Reported by Cities for Week Ended Mar. 15, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Baltimore, Md.....		2	Lowell, Mass.....	1	
Bayonne, N. J.....		1	Milwaukee, Wis.....	1	1
Boston, Mass.....	2	1	Moline, Ill.....		1
Chicago, Ill.....	1	2	Nashville, Tenn.....	1	
Cincinnati, Ohio.....	7		New Orleans, La.....	9	4
Cleveland, Ohio.....	2	2	New York, N. Y.....	12	7
Fall River, Mass.....		3	Oklahoma, Okla.....	3	2
Haverhill, Mass.....	1	1	Pittsburgh, Pa.....		1
Jersey City, N. J.....		1	St. Louis, Mo.....	1	1
Lexington, Ky.....	1		San Diego, Cal.....	1	
Los Angeles, Cal.....	7	4			

POLIOMYELITIS (INFANTILE PARALYSIS).**Alabama—Mobile County.**

The State Board of Health of Alabama reported that 1 case of poliomyelitis had been notified in Mobile County during the month of February, 1913.

California—Los Angeles and Vicinity.

The State Board of Health of California reported that 2 cases of poliomyelitis had been notified in Los Angeles during the month of February, 1913, and that during the same month deaths from poliomyelitis had been reported as follows: Los Angeles 1, Los Angeles County outside the city of Los Angeles 1, Colton, San Bernardino County, 1.

New York—Monroe, Ontario, and Schenectady Counties.

The State Board of Health of New York reported that poliomyelitis had been notified in that State during the month of February, 1913, as follows: Monroe County 1 case, Ontario County 1 case, Schenectady, Schenectady County, 1 case.

Cases and Deaths Reported by Cities for Week Ended March 15, 1913.

During the week ended March 15, 1913, poliomyelitis was reported by cities as follows: Baltimore, Md., 1 case; Chicago, Ill., 2 cases; Cincinnati, Ohio, 1 case with 1 death; Cleveland, Ohio, 1 case with 1 death; Nanticoke, Pa., 1 case.

ERYSIPELAS.

Cases and Deaths Reported by Cities for Week Ended Mar. 15, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Binghamton, N. Y.....	5	3	Newark, N. J.....	1	1
Braddock, Pa.....	1	New Castle, Pa.....	1
Buffalo, N. Y.....	1	Norristown, N. J.....	1
Dunkirk, N. Y.....	3	Passaic, N. J.....	1
Harrisburg, Pa.....	3	Reading, Pa.....	2	1
Hartford, Conn.....	3	Rutland, Vt.....	1
Kalamazoo, Mich.....	3	San Francisco, Cal.....	6	1
La Crosse, Wis.....	1	1	South Bethlehem, Pa.....	1
Lancaster, Pa.....	1	Toledo, Ohio.....	1
Lexington, Ky.....	1	Wilkes-Barre, Pa.....	1
Medford, Mass.....	1	Yonkers, N. Y.....	1

PLAGUE.

Rats Collected and Examined.

Places.	Week ended.	Found dead.	Total collected.	Examined.	Found infected.
California:					
Cities—					
Berkeley.....	Mar. 15, 1913	3	171	104
Oakland.....	do.....	9	587	430
San Francisco.....	do.....	39	1,625	1,160
Counties—					
San Joaquin.....	do.....	1	1
Washington:					
City—					
Seattle.....	do.....	968	918

¹ One gopher from steamship San Jose examined.

California—Squirrels Collected and Examined.

During the week ended March 15, 1913, there were examined for plague infection 134 ground squirrels from San Joaquin County and 1 squirrel from Alameda County. No plague-infected squirrel was found.

PNEUMONIA.

Cases and Deaths Reported by Cities for Week Ended Mar. 15, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Auburn, N. Y.....	10	7	Marinette, Wis.....	1	1
Beaver Falls, Pa.....	1	Mount Vernon, N. Y.....	5
Binghamton, N. Y.....	15	2	Newport, Ky.....	2	2
Braddock, Pa.....	1	Pittsburgh, Pa.....	31	25
Chicago, Ill.....	26	192	Reading, Pa.....	1	7
Cleveland, Ohio.....	51	26	San Francisco, Cal.....	15
Duluth, Minn.....	5	5	Schenectady, N. Y.....	3	1
Grand Rapids, Mich.....	6	1	South Bethlehem, Pa.....	4	1
Kalamazoo, Mich.....	3	Wilmington, N. C.....	1	2
Los Angeles, Cal.....	1	8	Yonkers, N. Y.....	1	9
Manchester, N. H.....	4	4	York, Pa.....	1

SCARLET FEVER, MEASLES, DIPHThERIA, AND TUBERCULOSIS.

State Reports for February, 1913.

	Scarlet fever.	Measles.	Diphtheria.
Alabama.....	34	28
New York.....	2, 180	7, 920	1, 907

Los Angeles—Measles.

Senior Surg. Brooks, of the Public Health Service, reported by telegraph March 29, 1913, that 349 new cases of measles had been notified in Los Angeles during the week ended March 29.

Pittsburgh—Measles.

Surg. Stoner has reported regarding the outbreak of measles in Pittsburgh that during the week ended March 29 there were 358 cases and 5 deaths reported; during the week ended March 22, 359 cases, with 5 deaths; and from November 1, when the epidemic began, to March 29, 7,747 cases, with 112 deaths.

Cases and Deaths Reported by Cities for Week Ended Mar. 15, 1913.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.....	558,485	239	24	365	3	25	1	27	29
Boston, Mass.....	670,585	284	46	11	243	1	63	1	89	28
Chicago, Ill.....	2,185,283	836	208	33	855	10	443	35	185	85
Cleveland, Ohio.....	580,663	195	54	4	327	4	35	27	19
New York, N. Y.....	4,766,883	323	39	971	27	471	19	498	180
Pittsburgh, Pa.....	533,905	191	42	3	539	7	28	1	20	11
St. Louis, Mo.....	687,029	266	59	3	571	6	19	1	47	32
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y.....	423,715	141	2	1	99	2	13	1	21	12
Cincinnati, Ohio.....	364,463	155	15	89	2	15	1	26	19
Los Angeles, Cal.....	319,198	122	11	1	192	14	26	21
Milwaukee, Wis.....	373,887	118	13	3	53	36	16	17
Newark, N. J.....	347,469	123	38	2	51	20	1	26	19
New Orleans, La.....	339,075	128	31	4	326	1	3	21	9
San Francisco, Cal.....	416,912	166	9	8	8	23	18
Washington, D. C.....	331,069	128	11	613	2	21	1	31	17
From 200,000 to 300,000 inhabitants:										
Jersey City, N. J.....	267,779	102	14	2	105	1	23	20	13
Providence, R. I.....	224,326	92	20	5	15	1	7	16
From 100,000 to 200,000 inhabitants:										
Bridgeport, Conn.....	102,054	35	1	28	5	3
Cambridge, Mass.....	104,839	34	9	73	5	7	4
Columbus, Ohio.....	181,548	82	4	1	4	2	9	6
Dayton, Ohio.....	116,577	46	11	2	6	6	3
Fall River, Mass.....	119,295	47	1	62	1	22	6	3
Grand Rapids, Mich.....	112,571	33	1	1	15	4	1
Lowell, Mass.....	106,294	39	2	1	18	6	2	2
Nashville, Tenn.....	110,364	50	2	104	5	7
Oakland, Cal.....	150,174	53	2	2	4
Richmond, Va.....	127,628	50	1	267	2	1	4	7
Spokane, Wash.....	104,402	7	2	1	3	2
Toledo, Ohio.....	168,497	77	3	3	83	1	1	11
Worcester, Mass.....	145,986	48	7	8	16	6	4

Cases and Deaths Reported by Cities for Week Ended Mar. 15, 1913—Contd.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 50,000 to 100,000 inhab- itants:											
Altoona, Pa.	52,127	17	1				10			4	
Bayonne, N. J.	55,545	20	3		6		8	1	10	1	
Brockton, Mass.	56,878	18	1		1		4		5		
Camden, N. J.	94,538		8		103		15		9		
Duluth, Minn.	78,466	18			31		3			3	
Elizabeth, N. J.	73,409	28	4	1	10		5		3		
Erie, Pa.	66,525	30	5		73		2		1		
Evansville, Ind.	69,647	10	5		2		20		1	3	
Harrisburg, Pa.	64,186	22	1							1	
Hartford, Conn.	98,915		9		18		22		1	4	
Hoboken, N. J.	70,324	54	5		24		7		18		
Johnstown, Pa.	55,482	11	10	1	52		2				
Kansas City, Kans.	82,331		1		82				14		
Lynn, Mass.	89,336	20	2		84		3		3		
Manchester, N. H.	70,063	25	1		28		3		1	1	
Oklahoma, Okla.	64,205	20	2		1					2	
Passaic, N. J.	54,773	16	1		9		1		7		
Pawtucket, R. I.	51,622	7									
Reading, Pa.	96,071	49	7	1	200	1	5		1	2	
St. Joseph, Mo.	77,403	24			115		3	3	3	2	
Schenectady, N. Y.	72,826	19			35		9	3	2	1	
South Bend, Ind.	53,684	29	3		6		5			1	
Springfield, Ill.	51,678	17	1	1	2		3			2	
Springfield, Mass.	88,926	39	7		23		2		3	4	
Trenton, N. J.	96,815	59	5	1	31		18		13	10	
Wilkes-Barre, Pa.	67,105	15	4		8		5		2		
Yonkers, N. Y.	79,803	28	2		42		4		6	5	
From 25,000 to 50,000 inhabitants:											
Atlantic City, N. J.	46,150	7			18		1		2		
Auburn, N. Y.	34,668	16			34		22				
Aurora, Ill.	29,807	11			2	1					
Berkeley, Cal.	40,434	6			2		11			1	
Binghamton, N. Y.	48,443	20	2	1	1		2		1	1	
Brookline, Mass.	27,792	10	1		20		4		1		
Chattanooga, Tenn.	44,604		1						1		
Chelsea, Mass.	32,452	12	1		7		3		3	2	
Chicopee, Mass.	25,401	11					1		2	2	
Danville, Ill.	27,871				5					2	
Elmira, N. Y.	37,176	17	1		30		2			1	
Everett, Mass.	33,484	14	1		3		6	1			
Fitchburg, Mass.	37,826	20			127				2	3	
Haverhill, Mass.	44,115	14			50	1	2				
Kalamazoo, Mich.	39,437	13	3	1	2		1	1		1	
Knoxville, Tenn.	36,346	14			36					3	
La Crosse, Wis.	30,417	12					1				
Lancaster, Pa.	47,227		2		22		2		1		
Lexington, Ky.	35,099	32			9		1		1	6	
Lynchburg, Va.	29,494	12			85	2	2			1	
Malden, Mass.	44,404	19	2		60	1	2		4	1	
Mount Vernon, N. Y.	30,919				14		1		2		
Newcastle, Pa.	36,280		1		62				1		
Newport, Ky.	30,309	10	1				1		2		
Newton, Mass.	39,806	7			5		3				
Niagara Falls, N. Y.	30,445	17	2		78	1	3			1	
Norristown, Pa.	27,875	7					2				
Orange, N. J.	29,630	11	1		2		1		3		
Pasadena, Cal.	30,291	3									
Pittsfield, Mass.	32,121		3		1		1		1	1	
Portsmouth, Va.	33,190	10			5					2	
Racine, Wis.	38,002	14	3		9		2				
Roanoke, Va.	34,874	14	1		29		1			2	
Rockford, Ill.	45,401	14					3				
Salem, Mass.	43,697	16	6	1	1		1			1	
San Diego, Cal.	39,578	6	1		15				6	6	
South Omaha, Nebr.	26,259	9						2			
Superior, Wis.	40,384	10					2				
Taunton, Mass.	34,259	13			2		1		1	2	
Waltham, Mass.	27,834	6	5						1		
Wheeling, W. Va.	41,641	22	3		21	1		1	1	1	
Williamsport, Pa.	31,860	8	2		24		3				
Wilmington, N. C.	25,748	13	2		4				2	1	
York, Pa.	44,750		1		9		7				
Zanesville, Ohio.	28,026	4					5				

Cases and Deaths Reported by Cities for Week Ended Mar. 15, 1913—Contd.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Less than 25,000 inhabitants:										
Alameda, Cal.	23,833	3	1		3		1			1
Ann Arbor, Mich.	14,817	7	1		12		1			
Beaver Falls, Pa.	12,191				5		1			
Biddeford, Me.	17,079	9				1				
Braddock, Pa.	17,759		1		4		2			
Cambridge, Ohio.	17,327	1			1					
Clinton, Mass.	13,075	2	1		5					
Columbus, Ga.	20,554	1								
Columbus, Ind.		1			2		1			
Concord, N. H.	21,477	8			56		2			1
Cumberland, Md.	21,839	15			3				3	
Dunkirk, N. Y.		9			3					3
Franklin, N. H.	6,132	2			9					
Galesburg, Ill.	22,089	12	1				1			
Harrison, N. J.	14,489	3							2	
Kearny, N. J.	18,659	5	1		9					
Kokomo, Ind.	8,261	9			1				1	1
La Fayette, Ind.	20,081	4			1					
Marinette, Wis.	14,610	1								
Marlboro, Mass.	14,759	4			1					1
Medford, Mass.	23,150	6	4		6		18			1
Melrose, Mass.	15,715	2			2					
Moline, Ill.	24,190	4								
Montclair, N. J.	21,450	6	2		5		2			
Morristown, N. J.	12,507	7			2		1			1
Muscatine, Iowa.	16,000	2					2			
Nanticoke, Pa.	18,857	4	1		3		3			
Newburyport, Mass.	19,240	9							1	1
North Adams, Mass.	22,019	8	1	1					1	1
Northampton, Mass.	19,931	14			1		8		2	
Plainfield, N. J.	23,550	6			1		3		1	
Rutland, Vt.	13,546		1		41					
South Bethlehem, Pa.		11	3		5				2	
Springfield, Ohio.			4		2					
Steelton, Pa.	14,746	4	1		2				1	1
Wilkinsburg, Pa.		13	1		4				1	3
Woburn, Mass.	18,594	7			18				1	